

Specimen Label

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations equipped for dispensing liquid rodenticide baits. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control Norway rats (*Rattus norvegicus*), roof rats (*R. rattus*), and house mice (*Mus musculus*) in homes; in industrial, agricultural, and commercial buildings; and in similar manmade structures. Do not use LIQUA-TOX II in any area where there is a possibility of contaminating food or surfaces that come in direct contact with food.

MIXING DIRECTIONS: Using a scissors, cut one 1.68 fl. oz. package where indicated and pour its contents into one quart (32 fl. oz.) of water. Mix LIQUA-TOX II and water thoroughly.

SELECTION OF TREATMENT AREAS: Determine areas where rats and mice will most likely find and consume bait. Generally, these areas are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen.

APPLICATION DIRECTIONS:

RATS: Provide a minimum of 1 pint (16 fluid ounces) of LIQUA-TOX II in each dispenser (suitably-equipped bait station, chick fount, or other suitable device). If infested area is large, or if rat population appears to be high, use dispensers at several

Liqua-Tox® II

Mix contents of pouch with 1 quart of water

KILLS RATS AND MICE

ACTIVE INGREDIENT:
Sodium Salt of Diphacinone;
(2-Diphenylacetyl-1,3-indandione) 0.106%
INERT INGREDIENTS 99.894%
TOTAL 100.000%

KEEP OUT OF REACH OF CHILDREN CAUTION

(See right panel for additional precautionary statements)

Mfg. by:



Bell Laboratories, Inc.
Madison, WI 53704

locations. Space dispensers and refill them as needed to ensure that bait is exposed in all infested areas where it can be used without putting nontarget organisms at risk.

MICE: Provide 1/2-pint (8 fluid ounces) placements of LIQUA-TOX II in suitably-equipped bait stations, chick founts, or other appropriate vessels. Place dispensers at intervals of 8-12 feet in all infested areas where bait can be used without putting nontarget organisms at risk.

RATS & MICE: Replace contaminated or spoiled bait immediately. Collect and properly dispose of dead animals and bait that is no longer needed. Continue treatments as long as target species are being controlled by bait and nontarget species are not at risk.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. Exposure during pregnancy should be avoided. Avoid contact with skin, eyes, or clothing.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF ON SKIN: Wash with plenty of soap and water.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K, intramuscularly or orally as indicated in bishydroxycoumatin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Store only in original container, in a dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

EPA EST. NO. 12455-WI-1

EPA REG. NO. 12455-61